

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Authorization for this examiner's amendment was given in a telephone interview with Mr. Christopher Brody on June 3, 2010.

Claim 3,

Line 1, "Molding injection" has been changed to --Injection molding--.

Claim 4,

Line 2, before "enters" --has an end element which-- has been inserted and "by means of an end element" has been deleted.

Claim 5,

Line 1, "1" has been changed to --4--.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tim Heitbrink whose telephone number is 571-272-1132. The examiner can normally be reached on Monday-Friday 7:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Yogendra Gupta can be reached on 571-272-1316. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Tim Heitbrink
Primary Examiner
Art Unit 1791

Twh
/Tim Heitbrink/
Primary Examiner, Art Unit 1791